

REAL ESTATE CONDITION REPORT

DISCLAIMER

THIS CONDITION REPORT CONCERNS THE REAL PROPERTY LOCATED AT 803 Adams Street
IN THE City
(CITY) (VILLAGE) (TOWN) OF Kiel, COUNTY OF Manitowoc, STATE OF WISCONSIN.

THIS REPORT IS A DISCLOSURE OF THE CONDITION OF THAT PROPERTY IN COMPLIANCE WITH SECTION 709.02 OF THE WISCONSIN STATUTES AS OF May (MONTH) 8th (DAY), 2024 (YEAR). IT IS NOT A WARRANTY OF ANY KIND BY THE OWNER OR ANY AGENTS REPRESENTING ANY PARTY IN THIS TRANSACTION AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THAT THE PARTIES MAY WISH TO OBTAIN.

A buyer who does not receive a fully completed copy of this report within 10 days after the acceptance of the contract of sale or option contract for the above-described real property has the right to rescind that contract (Wis. Stat. s. 709.02), provided the owner is required to provide this report under Wisconsin Statutes chapter 709.

NOTICE TO PARTIES REGARDING ADVICE OR INSPECTIONS

Real estate licensees may not provide advice or opinions concerning whether or not an item is a defect for the purposes of this report or concerning the legal rights or obligations of parties to a transaction. The parties may wish to obtain professional advice or inspections of the property and to include appropriate provisions in a contract between them with respect to any advice, inspections, defects, or warranties.

A. OWNER'S INFORMATION

A1. In this form, "aware" means the "owner(s)" have notice or knowledge.

A2. In this form, "defect" means a condition that would have a significant adverse effect on the value of the property; that would significantly impair the health or safety of future occupants of the property; or that if not repaired, removed, or replaced would significantly shorten or adversely affect the expected normal life of the premises.

A3. In this form, "owner" means the person or persons, entity, or organization that owns the above-described real property. An "owner" who transfers real estate containing one to four dwelling units, including a condominium unit and time-share property, by sale, exchange, or land contract is required to complete this report.

Exceptions: An "owner" who is a personal representative, trustee, conservator, or fiduciary appointed by or subject to supervision by a court, and who has never occupied the property transferred is not required to complete this report. An "owner" who transfers property that has not been inhabited or who transfers property in a manner that is exempt from the real estate transfer fee is not required to complete this report. (Wis. Stat. s. 709.01)

A4. The owner represents that to the best of the owner's knowledge, the responses to the following questions have been accurately checked as "yes," "no," or "not applicable (N/A)" to the property being sold. If the owner responds to any question with "yes," the owner shall provide, in the additional information area of this form, an explanation of the reason why the response to the question is "yes."

A5. If the transfer is of a condominium unit, the property to which this form applies is the condominium unit, the common elements of the condominium, and any limited common elements that may be used only by the owner of the condominium unit being transferred.

A6. The owner discloses the following information with the knowledge that, even though this is not a warranty, prospective buyers may rely on this information in deciding whether and on what terms to purchase the property. The owner hereby authorizes the owner's agents and the agents of any prospective buyer to provide a copy of this report, and to disclose any information in the report, to any person in connection with any actual or anticipated sale of the property.

CAUTION: The lists of defects following each question below are examples only and are not the only defects that may properly be disclosed in response to each respective question.

B. STRUCTURAL AND MECHANICAL

	YES	NO	N/A
B1. Are you aware of defects in the roof? Roof defects may include items such as leakage or significant problems with gutters or eaves.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
B2. Are you aware of defects in the electrical system? Electrical defects may include items such as <i>defects in solar panels and systems</i> , electrical wiring not in compliance with applicable code, knob and tube wiring, 60 amp service, or aluminum-branch circuit wiring.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
B3. Are you aware of defects in part of the plumbing system (including the water heater, water softener, and swimming pool)? Other plumbing system defects may include items such as leaks or defects in pipes, toilets, interior or exterior faucets, bathtubs, showers, or any sprinkler system.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
B4. Are you aware of defects in the heating and air conditioning system (including the air filters and humidifiers)? Heating and air conditioning defects may include items such as defects in the heating ventilation and air conditioning (HVAC) equipment, supplemental heaters, ventilating fans or fixtures, or solar collectors.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
B5. Are you aware of defects in a woodburning stove or fireplace or of other defects caused by a fire in a stove or fireplace or elsewhere on the property? Such defects may include items such as defects in the chimney, fireplace flue, inserts, or other installed fireplace equipment; or woodburning stoves not installed pursuant to applicable code.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
B6. Are you aware of defects related to smoke detectors or carbon monoxide detectors or a violation of applicable state or local smoke detector or carbon monoxide detector laws? NOTE: State law requires operating smoke detectors on all levels of all residential properties and operating carbon monoxide detectors on all levels of most residential properties (see Wis. Stat. ch. 101).	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
B7. Are you aware of defects in the basement or foundation (including cracks, seepage, and bulges)? Other basement defects may include items such as flooding, defects in drain tiling or sump pumps, or movement, shifting, or deterioration in the foundation.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B8. Are you aware of defects in any structure on the property? Structural defects with respect to the residence or other improvements may include items such as movement, shifting, or deterioration in walls; major cracks or flaws in interior or exterior walls, partitions, or the foundation; wood rot; and significant problems with driveways, sidewalks, patios, decks, fences, waterfront piers or walls, windows, doors, floors, ceilings, stairways, or insulation.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
B9. Are you aware of defects in mechanical equipment included in the sale either as fixtures or personal property? Mechanical equipment defects may include items such as defects in any appliance, central vacuum, garage door opener, in-ground sprinkler, or in-ground pet containment system that is included in the sale.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
B10. Are you aware of rented items located on the property such as a water softener or other water conditioner system <i>or water treatment system</i> , or other items affixed to or closely associated with the property? <i>Such items may include reverse osmosis systems, iron filters, or other filters.</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
B11. Are you aware of basement, window, or plumbing leaks, overflow from sinks, bathtubs, or sewers, or other ongoing water or moisture intrusions or conditions?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
B12. Explanation of "yes" responses <u>B7. DAMPNESS IN SW CORNER OF BASEMENT</u>			

C. ENVIRONMENTAL

	YES	NO	N/A
C1. Are you aware of the presence of unsafe levels of mold?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
C2. Are you aware of a defect caused by unsafe concentrations of, or unsafe conditions relating to, radon, radium in water supplies, high voltage electric (100 KV or greater) or steel natural gas transmission lines located on but not directly serving the property, lead in paint, lead in soil, or other potentially hazardous or toxic substances on the property? NOTE: Specific	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

federal lead paint disclosure requirements must be complied with in the sale of most residential properties built before 1978.

- | | YES | NO | N/A |
|---|--------------------------|-------------------------------------|--------------------------|
| C3. Are you aware of the presence of asbestos or asbestos-containing materials on the property? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| C4. Are you aware of the presence of or a defect caused by unsafe concentrations of, unsafe conditions relating to, or the storage of hazardous or toxic substances on neighboring properties? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| C5. Are you aware of current or previous termite, powder post beetle, or carpenter ant infestations or defects caused by animal, reptile, or insect infestations, <i>including infestations impacting trees</i> ? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| C6. Are you aware of water quality issues caused by unsafe concentrations of or unsafe conditions relating to lead? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| C7. Are you aware of the manufacture of methamphetamine or other hazardous or toxic substances on the property? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| C8. Explanation of "yes" responses _____ | | | |

D. WELLS, SEPTIC SYSTEMS, STORAGE TANKS

- | | YES | NO | N/A |
|---|--------------------------|-------------------------------------|--------------------------|
| D1. Are you aware of defects in a well on the property or in a well that serves the property, including unsafe well water?
Well defects may include items such as an unused well not properly closed in conformance with state regulations, a well that was not constructed pursuant to state standards or local code, or a well that requires modifications to bring it into compliance with current code specifications. Well water defects might include, but are not limited to, unsafe levels of bacteria (total Coliform and E. coli), nitrate, arsenic, or other substances affecting human consumption safety. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| D2. Are you aware of a joint well serving the property? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| D3. Are you aware of a defect related to a joint well serving the property? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| D4. Are you aware that a septic system or other private sanitary disposal system serves the property? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| D5. Are you aware of defects in the septic system or other private sanitary disposal system on the property or any out-of-service septic system that serves the property and that is not closed or abandoned according to applicable regulations?
Septic system defects may include items such as backups in toilets or in the basement; exterior ponding, overflows, or backups; or defective or missing baffles. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| D6. Are you aware of underground or aboveground fuel storage tanks on or previously located on the property? (If "yes," the owner, by law, may have to register the tanks with the Wisconsin Department of Agriculture, Trade and Consumer Protection at P.O. Box 8911, Madison, Wisconsin, 53708, whether the tanks are in use or not. Regulations of the Wisconsin Department of Agriculture, Trade and Consumer Protection may require the closure or removal of unused tanks.) | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| D7. Are you aware of defects in the underground or aboveground fuel storage tanks on or previously located on the property?
Defects in underground or aboveground fuel storage tanks may include items such as abandoned tanks not closed in conformance with applicable local, state, and federal law; leaking; corrosion; or failure to meet operating standards. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| D8. Are you aware of an "LP" tank on the property? (If "yes," specify in the additional information space whether the owner of the property either owns or leases the tank.) | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| D9. Are you aware of defects in an "LP" tank on the property? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| D10. Explanation of "yes" responses _____ | | | |

E. TAXES, SPECIAL ASSESSMENTS, PERMITS, ETC.

	YES	NO	N/A
E1. Have you received notice of property tax increases, other than normal annual increases, or are you aware of a pending property reassessment?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
E2. Are you aware that remodeling was done that may increase the property's assessed value?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
E3. Are you aware of pending special assessments?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
E4. Are you aware that the property is located within a special purpose district, such as a drainage district, that has the authority to impose assessments against the real property located within the district?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
E5. Are you aware of any proposed construction of a public project that may affect the use of the property?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
E6. Are you aware of any remodeling, replacements, or repairs affecting the property's structure or mechanical systems that were done or additions to this property that were made during your period of ownership without the required permits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
E7. Are you aware of any land division involving the property for which a required state or local permit was not obtained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
E8. Explanation of "yes" responses _____			

F. LAND USE

	YES	NO	N/A
F1. Are you aware of the property being part of or subject to a subdivision homeowners' association, or other homeowners' association?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
F2. If the property is not a condominium unit, are you aware of common areas associated with the property that are co-owned with others?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
F3. Are you aware of any zoning code violations with respect to the property?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
F4. Are you aware of the property or any portion of the property being located in a floodplain, wetland, or shoreland zoning area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
F5. Are you aware of nonconforming uses of the property? A nonconforming use is a use of land, a dwelling, or a building that existed lawfully before the current zoning ordinance was enacted or amended, but that does not conform to the use restrictions in the current ordinance.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
F6. Are you aware of conservation easements on the property? A conservation easement is a legal agreement in which a property owner conveys some of the rights associated with ownership of his or her property to an easement holder such as a governmental unit or a qualified nonprofit organization to protect the natural habitat of fish, wildlife, or plants or a similar ecosystem, preserve areas for outdoor recreation or education, or for similar purposes.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
F7. Are you aware of restrictive covenants or deed restrictions on the property?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
F8. Other than public rights of ways, are you aware of nonowners having rights to use part of the property, including, but not limited to, private rights-of-way and easements other than recorded utility easements?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
F8a. Are you aware of any private road agreements or shared driveway agreements relating to the property?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
F9. Are you aware of the property being subject to a mitigation plan required under administrative rules of the Wisconsin Department of Natural Resources related to county shoreland zoning ordinances, which obligates the owner of the property to establish or maintain certain measures related to shoreland conditions and which is enforceable by the county?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
F10. The use value assessment system values agricultural land based on the income that would be generated from its rental for agricultural use rather than its fair market value. When a person converts agricultural land to a non agricultural use (e.g., residential or commercial development), that person may owe a conversion charge. For more information visit https://www.revenue.wi.gov/Pages/FAQS/slf-useassmt.aspx or (608) 266-2486.			
a. Are you aware of all or part of the property having been assessed as agricultural land under Wis. Stat. s. 70.32 (2r) (use value assessment)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Are you aware of the property having been assessed a use-value assessment conversion charge relating to this property? (Wis. Stat. s. 74.485 (2))	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

- | | YES | NO | N/A |
|---|--------------------------|-------------------------------------|--------------------------|
| c. Are you aware of the payment of a use-value assessment conversion charge having been deferred relating to this property? (Wis. Stat. s. 74.485 (4)) | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| F11. Is all or part of the property subject to or in violation of a farmland preservation agreement? Early termination of a farmland preservation agreement or removal of land from such an agreement can trigger payment of a conversion fee equal to 3 times the class 1 "use value" of the land.
Visit https://datcp.wi.gov/Pages/Programs_Services/FarmlandPreservation.aspx for more information. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| F12. Is all or part of the property subject to, enrolled in, or in violation of the Forest Crop Law, Managed Forest Law, the Conservation Reserve Program, or a comparable program? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| F13. Are you aware of a dam that is totally or partially located on the property or that an ownership in a dam that is not located on the property will be transferred with the property because it is owned collectively by members of a homeowners' association, lake district, or similar group? (If "yes," contact the Wisconsin Department of Natural Resources to find out if dam transfer requirements or agency orders apply.) | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| F14. Are you aware of boundary or lot line disputes, encroachments, or encumbrances (including a joint driveway) affecting the property?
Encroachments often involve some type of physical object belonging to one person but partially located on or overlapping on land belonging to another; such as, without limitation, fences, houses, garages, driveways, gardens, and landscaping. Encumbrances include, without limitation, a right or claim of another to a portion of the property or to the use of the property such as a joint driveway, liens, and licenses. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| F15. Are you aware there is not legal access to the property? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| F16. Are you aware of federal, state, or local regulations requiring repairs, alterations, or corrections of an existing condition? This may include items such as orders to correct building code violations. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| F17. Are you aware of a pier attached to the property that is not in compliance with state or local pier regulations? See http://dnr.wi.gov/topic/waterways for more information. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| F18. Are you aware of a written agreement affecting riparian rights related to the property? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| F19. Are you aware that the property abuts the bed of a navigable waterway that is owned by a hydroelectric operator?
Under Wis. Stat. s. 30.132, the owner of a property abutting the bed of a navigable waterway that is owned by a hydroelectric operator, as defined in s. 30.132 (1) (b), may be required to ask the permission of the hydroelectric operator to place a structure on the bed of the waterway. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| F20. Are you aware of one or more burial sites on the property? (For information regarding the presence, preservation, and potential disturbance of burial sites, contact the Wisconsin Historical Society at 800-342-7834 or www.wihist.org/burial-information). | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| F21. Explanation of "yes" responses _____

_____ | | | |

G. ADDITIONAL INFORMATION

- | | YES | NO | N/A |
|--|-------------------------------------|-------------------------------------|--------------------------|
| G1. Have you filed any insurance claims relating to damage to this property or premises within the last five years? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| G2. Are you aware of a structure on the property that is designated as a historic building or that all or any part of the property is in a historic district? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| G2a. Does the property currently have internet service?
If so, who is your provider? <u>SPECTRUM</u> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| G2b. Does the property have an electric vehicle charging system and station or installed wiring for a future system or station?
Is the system or station affixed to the property? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| G2c. Does the property have accessibility features? If so, attach an Accessibility Features Report (see https://www.wra.org/Disabilities/). | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| G3. Are you aware of any agreements that bind subsequent owners of the property, such as a lease agreement or an extension of credit from an electric cooperative? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| G3a. Are you aware of any right of first refusal, recorded or not, on all or any portion of the property? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

YES NO N/A

G4. Is the owner a foreign person, as defined in 26 USC 1445 (f)? (E.g. a nonresident alien individual, foreign corporation, foreign partnership, foreign trust, or foreign estate.) Section 1445 of the Internal Revenue Code (26 USC 1445), also known as the Foreign Investment In Real Property Tax Act or FIRPTA, provides that a transferee (buyer) of a U.S. real property interest must be notified in writing and must withhold tax if the transferor (seller) is a foreign person, unless an exception under FIRPTA applies to the transfer.

G5. Are you aware of other defects affecting the property? Other defects might include items such as drainage easement or grading problems; excessive sliding, settling, earth movements, or upheavals; or any other defect or material condition.

G6. The owner has owned the property for 1 years.

G7. The owner has lived in the property for 1 years.

G8. Explanation of "yes" responses

PERSON COMPLETING THIS FORM IS A PERSONAL REP & HAS COMPLETED TO THE BEST OF HER KNOWLEDGE. SELLER & FRB ENCOURAGE ANY BUYER TO SEEK INDEPENDENT HOME INSPECTION.

Notice: You may obtain information about the sex offender registry and persons registered with the registry by contacting the Wisconsin Department of Corrections at <http://www.doc.wi.gov> or by phone at 608-240-5830

OWNER'S CERTIFICATION

NOTE: Wisconsin Statute section 709.035 requires owners who, prior to acceptance of a purchase contract or an option to purchase, obtain information that would change a response on this report to submit a complete amended report or an amendment to the previously completed report to the prospective buyer within 10 days of acceptance.

The owner certifies that the information in this report is true and correct to the best of the owner's knowledge as of the date on which the owner signs this report.

Owner James Dedering, PR Date 4/22/2024
Owner _____ Date _____
Owner _____ Date _____
Owner _____ Date _____
Owner _____ Date _____

CERTIFICATION BY PERSON SUPPLYING INFORMATION

A person other than the owner certifies that the person supplied information on which the owner relied for this report and that the information is true and correct to the best of the person's knowledge as of the date on which the person signs this report.

Person _____ Items _____ Date _____
Person _____ Items _____ Date _____
Person _____ Items _____ Date _____

BUYER'S ACKNOWLEDGEMENT

The prospective buyer acknowledges that technical knowledge such as that acquired by professional inspectors may be required to detect certain defects such as the presence of asbestos, building code violations, and floodplain status.

I acknowledge receipt of a copy of this statement.

Prospective buyer _____ Date _____
Prospective buyer _____ Date _____
Prospective buyer _____ Date _____
Prospective buyer _____ Date _____
Prospective buyer _____ Date _____

Information appearing in italics is supplemental in nature and is not required pursuant to Section 709.03 of the Wisconsin Statutes.

Copyright © 2023 by Wisconsin REALTORS® Association; Drafted by: Debra Peterson Conrad

No representation is made as to the legal validity of any provision or the adequacy of any provision in any specific transaction.

Kris August



KRIS A. AUGUST, GENERAL MANAGER OF UTILITIES AND ENGINEERING

INSPECTION NOTICE

March 5, 2024

RE: *803 Adams Street*

Dear Residential Customer:

The Wisconsin Department of Natural Resources requires periodic inspection of every home and business connected to the public water and sanitary sewer system. The purpose of the Cross Connection Control and Clearwater Programs, as defined in Kiel Ordinance Chapter 13, is to help prevent the possible contamination of the public water distribution system and unwanted groundwater into the sanitary sewer system. There are two required components of the programs: 1) site inspection; and 2) compliance with Kiel Ordinance Chapter 13.

The City of Kiel will conduct these required surveys. As a part of these programs, inspectors will be looking at your water system for compliance and/or connections that could possibly contaminate the water distribution system. Inspectors will also be looking for possible groundwater source connections into the sanitary sewer system. A typical residential inspection lasts approximately 45 minutes and will survey exterior garden hose connections, lawn sprinkler systems, boilers, laundry tubs, water softeners and sump pumps. During the inspection, water meters may also be changed out.

Debbie Casper
Your property is scheduled for inspection between March 19th, 2024 and June 27st, 2024. Please call (920) 894-2909 ext.103 to schedule an inspection date and time. Inspection appointments are available Tuesday - Thursday 8:00 a.m. to 2:00 p.m. We very much appreciate your response to this request. **As noted above, this inspection is required by city ordinance.**

There are no fees for the inspection; however, in circumstances where corrective action(s) are required, the obligation is with the property owner. You will be notified following the inspection what corrective action(s) are necessary. We look forward to working with you in protecting everyone's drinking water supply. If you have any questions, please contact me at (920) 894-2909 ext.105.

Kris A. August, General Manager

621 SIXTH STREET
PO BOX 98
KIEL, WI 53042

PHONE: (920) 894-2909 EXT. 105

EMAIL: KRIS.AUGUST@KIELWI.GOV

CITY OF KIEL

RESIDENTIAL CROSS-CONNECTION CONTROL INSPECTION FORM

ADDRESS: 803 Adams St

Date of Inspection 4-25-24

PARCEL #: _____

Account # 140640.01

Inspector: ROBERT ANNOLD

INSPECTION INFORMATION

SINGLE FAMILY: MULTIPLE FAMILY: # OF UNITS: _____ APARTMENT: # OF UNITS: _____ CONDO: # OF UNITS: _____

City lateral Private Lateral Education Handout Building

Copper Lead Poly Galv

SIZE OF WATER METERS: _____

POTABLE WATER: 2 x 7/8

LAWN IRRIGATION: _____

WELL: _____

PRESSURE REGULATOR: YES NO

INSPECTION COMPLIANCE: YES NO

HAZARD INFORMATION

TYPE OF WATER USE	V/N	QTY	APPROVED DEVICE	REMOVE THREADS	INSPECTION COMPLIANCE
WATER SOFTENER	<input checked="" type="checkbox"/>	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
LAUNDRY SINK	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
INSIDE HOSE BIBB(S)	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BOILER	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
HUMIDIFIER	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OUTSIDE HOSE BIBB(S)	<input checked="" type="checkbox"/>	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
LAWN IRRIGATION SYSTEM	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SWIMMING POOL	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OTHER _____	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

ADDITIONAL NOTES:

RESIDENTIAL SANITARY CLEARWATER INSPECTION

- Your sump pump is cross-connected to the sanitary sewer. (There is a tee in the discharge pipe, which can lead to floor drain.)
- The floor drain is connected to the footing tile, roof leader, and or other.
- Foundation wall leak goes to floor drain.
- The discharge piping on the sump pump is not of material approved in Comm. 84.30 of State Plumbing Code. (PVC or ABS, Copper, Galvanized Steel, Cast Iron, Brass)
- One or more downspout leaders exist.
- Outside cleanout defective.

ADDITIONAL NOTES:

Pass
Fail

AG VDCV/1012
SVB/1056 AVB/1001

CITY OF KIEL CROSS CONNECTION CONTROL

WHAT IS A CROSS-CONNECTION?

A cross-connection is an actual or potential connection between the safe drinking water (potable) supply and a source of contamination or pollution. State plumbing codes require approved backflow prevention methods to be installed at every point of potable water connection and use. Cross-Connections must be properly protected or eliminated.

HOW DOES CONTAMINATION OCCUR?

When you turn on your faucet you expect the water to be as safe as when it left the treatment plant. However, certain hydraulic conditions left unprotected within your plumbing system may allow hazardous substances to contaminate your own drinking water or even the public water supply. Water normally flows in one direction. However, under certain conditions, water can actually flow backward; this is known as backflow. There are two situations that can cause water to flow backward: backsiphonage, and backpressure.

BACKSIPHONAGE

May occur due to a loss of pressure in the municipal water system during a fire fighting emergency, a water main break, or system repair. This creates a siphon in your plumbing system which can draw water out of a sink or bucket and back into your water or the public water system.

BACKPRESSURE


May be created when a source of pressure (such as a boiler) creates a pressure greater than the pressure supplied from the public water system. This may cause contaminated water to be pushed into your plumbing system through an unprotected cross-connection.

IN THE BATHROOM...

HAND HELD SHOWER FIXTURE

The hand held shower fixture is compliant if:

- When the shower head is hanging freely, it is at least 1" above the top of the flood level rim of the receptor (tub).
- Complies with ASSE #1014
- Has the ASME code 112.18.1 stamped on the handle.




IN THE BATHROOM...

TOILET TANKS

There are many unapproved toilet tank valve products sold at common retailers which do not meet the state plumbing code requirements for backflow prevention.

- Look for the ASSE #1002 standard symbol on the device and packaging.
- Replace any unapproved devices with an ASSE #1002 approved anti-siphon ball-cock assembly. Average costs typically \$12 to \$22 at home improvement stores.
- Verify overflow tube is one inch below critical level (CL) marking on the device.



INSIGHTS TO PROTECT YOUR DRINKING WATER

DO...


- Keep the ends of hoses clear of all possible contaminants.
- Make sure dishwashers are installed with a proper "air gap" device.
- Verify and install a simple hose bibb vacuum breaker on all threaded faucets around your home.
- Make sure water treatment devices such as water softeners have the proper "air gap," which is a minimum of one inch above any drain.

Hose Bibb Vacuum Breaker →




DON'T...

- Submerge hoses in buckets, pools, tubs, sinks, or ponds.
- Use spray attachments without a backflow prevention device.
- Connect waste pipes from water softeners or other treatment systems directly to the sewer or submerged drain pipe. Always be sure there is a one inch "air gap" separation.



IN THE KITCHEN...



Hoses and water treatment devices may create a potential backflow hazard if not properly isolated with backflow prevention methods.