

<b>Well Construction Report</b>				<b>FT670</b>		Drinking Water and Groundwater - DG/5 Department of Natural Resources, Box 7921 Madison WI 53707				Form 3300-077A				
Property Owner DAMROE CONSTRUCTION				Phone # (414)565-2426		1. Well Location				Fire # (if avail.)				
Mailing Address 308 N WISCONSIN DR						Town of SHEBOYGAN								
City HOWARDS GROVE				State WI	Zip Code 53083	Street Address or Road Name and Number								
County Sheboygan				Co. Permit #	Notification #	Completed 12-06-1993		Subdivision Name		Lot #	Block #			
Well Constructor (Business Name) ROGER WEBER				Lic. # 99	Facility ID # (Public Wells)		Latitude / Longitude in Decimal Degree (DD)			Method Code				
Address W2691 ST CHARLES RD CHILTON WI 53014-9624				Well Plan Approval #		NW	NW	Section 8	Township 15 N	Range 23 E				
				Approval Date (mm-dd-yyyy)		2. Well Type New Well			of previous unique well # constructed in					
Hicap Permanent Well #		Common Well #		Specific Capacity 1		Reason for replaced or reconstructed well ? NEW HOME								
3. Well serves 1 # of Private, potable				Hicap Well ? No		Construction Type Drilled								
Heat Exchange ___ # of drillholes				Hicap Property ? No										
Hicap Potable ?														
4. Potential Contamination Sources - ON REVERSE SIDE														
5. Drillhole Dimensions and Construction Method						8. Geology								
Dia. (in.)	From (ft.)	To (ft.)	Upper Enlarged Drillhole		Lower Open Bedrock	Geology Codes		Type, Caving/Noncaving, Color, Hardness, etc...		From (ft.)	To (ft.)			
10	Surface	20	Rotary - Mud Circulation .....				I	TOP SOIL		Surface	2			
6	20	260	Yes Rotary - Air .....			R	C	RED CLAY		2	69			
			Rotary - Air & Foam .....				L	LIMESTONE		69	260			
			Drill-Through Casing Hammer											
			Reverse Rotary											
			Cable-tool Bit ___ in. dia...											
			Dual Rotary .....											
			Temp. Outer Casing ___ in. dia											
			Removed? ___ depth ft. (If NO explain on back side)											
6. Casing, Liner, Screen						9. Static Water Level			11. Well Is					
Dia. (in.)	Material, Weight, Specification Manufacturer & Method of Assembly			From (ft.)	To (ft.)	50 ft. below ground surface			16 in. above grade					
6	BLACK STEEL PIPE-NEW 18.97#/FT. P.E. SEAMLESSSAWHILL TUBULAR DIV. ASTM-A-53 GR B			Surface	69	10. Pump Test			Developed ? Yes					
						Pumping level 71 ft. below surface			Disinfected ? Yes					
						Pumping at 20 GP M for 3 Hrs.			Capped ? Yes					
Dia. (in.)	Screen type, material & slot size			From (ft.)	To (ft.)	Pumping Method ?								
						12. Notified Owner of need to fill & seal ?								
						Filled & Sealed Well(s) as needed?								
7. Grout or Other Sealing Material						13. Constructor / Supervisory Driller			Lic #			Date Signed		
Method						RW						12-06-1993		
Kind of Sealing Material		From (ft.)	To (ft.)	# Sacks Cement		Drill Rig Operator			Lic or Reg #			Date Signed		
PUDDLED CLAY		Surface	20			FF						12-06-1993		

**4a. Potential Contamination Sources**Is the well located in floodplain ? No

Type	Qualifier	Distance	Type	Qualifier	Distance
Building Overhang		50	Collector Sewer - San or Storm		120
Clearwater Sump		61	Foundation Drain to Clearwater		49
			Sewer - Building Sanitary		65

Comment:

Created On: 02-04-1994

Updated On: 02-04-1994

Review Status: